

**IKM** <sup>®</sup> **IT**

**Segatrici a nastro**  
**Band Sawing Machines**  
**Sierras de Cinta**  
**Scies à Ruban**  
**Bandsägemaschinen**



**MADE for EUROPEAN COMUNITY**



## KBS 100 VS / KBS 125 V

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	watt 1000	watt 1250
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 1335x13 x0,65	mm 1440x13 x0,65
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 30/80	m/min. 30/72
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 85 90° □ 85x100 45° ○ 65 45° □ 60x65	mm 90° ○ 122 90° □ 122 45° ○ 95 45° □ 95 60° ○ 63 60° □ 63
Peso Weight Peso Poids Gewicht	Kg 16	Kg 18



## KBS 175 VS

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	watt 2000
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 1735x13x0,9
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 30 - 80
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 150 □ 150x140 45° ○ 90 □ 100x90 60° ○ 65 □ 65x70
Peso Weight Peso Poids Gewicht	Kg 60



## KBS 210

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HP 1,0
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 2085x20x0,90
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 40/80
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 180 □ 180x180 45° ○ 115 □ 110x110 60° ○ 70 □ 70x70
Peso Weight Peso Poids Gewicht	Kg 170



## KBS 270

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HP 1,5
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 2450x27x0,90
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 40/80
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 225 □ 240x160 45° ○ 160 □ 155x115 60° ○ 90 □ 90x100
Peso Weight Peso Poids Gewicht	Kg 240



## KBS 270 S / KBS 270 SH

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HP 1,5
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 2450x27x0,90
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 35/70
Capacità di Taglio Cutting Capacity Capacidad de Correo Capacité de Coupe Schneide Kapazität	mm 90° ○ 225 □ 240x160 45° ○ 160 □ 155x115 60° ○ 90 □ 90x100
Peso Weight Peso Poids Gewicht	Kg 240



## KBS 345 SA

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HP 2
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 3300x27x0,90
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	m/min. 35/70
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 290 □ 335x210 45° ○ 250 □ 250x200 60° ○ 180 □ 170x170
Peso Weight Peso Poids Gewicht	Kg 680



## KBS 480/600 SSH

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HP 2
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm 4760x34x1,10
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	inverter m/min. 20-90
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	mm 90° ○ 330 □ 600x330 45° ○ 330 □ 360x330 60° ○ 310 □ 290x330 45° ○ 330 □ 360x330
Peso Weight Peso Poids Gewicht	Kg 750



## KBS-HD 500/760/900 SA

Potenza Motore Main Motor Power Potencia Motor Puissance Moteur Motorleistung	HD 500 SA - KW 3,75 HD 760 SA - KW 5,60 HD 900 SA - KW 11
Dimensioni Lama Blade Dimensions Dimencion de la Hoja Dimensions de la lame Bandabmessung	mm HD 500 SA - 4115x34x1,1 HD 760 SA - 5300x41x1,3 HD 900 SA - 6770x54x1,6
Velocità Rotazione Blade Rotation Speed Velocidad de Rotación Vitesse de Rotation Schneide geschwindigkeit	HD 500 SA HD 760 SA HD 900 SA inverter m/min. 25 - 80
Capacità di Taglio Cutting Capacity Capacidad de Corte Capacité de Coupe Schneide Kapazität	HD 500 SA 0° ○ 320 □ 510x320 mm HD 760 SA 0° ○ 460 □ 760x400 mm HD 900 SA 0° ○ 500 □ 900x500 mm
Peso Weight Peso Poids Gewicht	HD 500 SA - Kg 1900 HD 760 SA - Kg 2650 HD 900 SA - Kg 3100



**Kristom S.r.l.**

**Via Lago di Levico, 8/D - 36015 Schio (VI) Italy**  
**Phone: ++39 0445 500166 - Fax: ++39 0445 500167**  
**E-Mail: [kristom@kristom.it](mailto:kristom@kristom.it) - Http: [www.kristom.it](http://www.kristom.it)**